

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

14

Tobacco Stocks Report

as of July 1, 1950




U. S. DEPARTMENT OF AGRICULTURE
PRODUCTION AND MARKETING ADMINISTRATION

Washington, D. C.
August 15, 1950

CONTENTS

	Page
Discussion - - - - -	1 - 3
Conversion factors for adjusting for losses in weight - - - - -	4
Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent - - - - -	5
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT) - - - - -	6
Stocks of leaf tobacco, by types and groups of grades - - - - -	7-14
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - -	15
Stocks of leaf tobacco, summary by types - - - - -	16



EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13, and 14:

- A-Wrappers
- B-Leaf and smoking leaf
- C-Cutters
- X-Lugs and primings
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 21, 22, 23, and 24:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 31:

- A-Wrappers
- B-Bright leaf, red leaf, and tips
- C-Lugs and cutters
- X-Trash and flyings
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 32:

- B-Heavy leaf or dull crop
- C-Thin leaf or bright crop
- X-Seconds and ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 35, 36, and 37:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 41:

- B-Binders or tops
- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 42, 43, and 44:

- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 46:

- C-Superior
- X-Inferior
- Y-Defectuoso
- S-Scrap (Picadura)
- N-Nondescript

GROUPS OF TYPES 51, 52:

- A-Wrappers
- B-Binders, seconds, and brokes
- C-Fillers and short darks
- X-Stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 53:

- B-Binders, seconds, and brokes
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 54 and 55:

- B-Binders
- C-Fillers
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 56:

- B-Binders
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 61 and 62:

- A-Wrappers
- B-Stout wrappers and binders
- C-Fillers or tips
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 81, 82, and 83:

- A-Wrappers
- C-Fillers
- S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

Total Stocks Unchanged Compared With A Year Ago.

Stocks of all types ^{1/} of leaf tobacco owned by dealers and manufacturers in the United States and Puerto Rico on July 1, 1950, ^{2/} totaled 3,509 million pounds (farm-sales-weight) - the same quantity as on hand a year earlier. An estimated 40 million pounds from the previous year's crop entered stocks during the second quarter, consisting mainly of Maryland and Puerto Rican types. Total domestic production for 1949 including Puerto Rican was approximately 2 billion pounds.

Holdings of flue-cured tobacco were down between 3 and 4 percent from the previous July 1. However, Burley stocks this July 1 were 3 percent larger and the inventory of Maryland tobacco had increased slightly. Both fire-cured and dark air-cured stocks on July 1, 1950 were up from a year ago. For the cigar-leaf types, filler holdings had increased 3 percent compared with a year earlier, binder 5 percent, and shade-grown 17 percent. For foreign-grown types, stocks of cigarette tobacco (Turkish and other) were unchanged, while inventories of cigar-leaf had declined 23 percent.

^{1/} Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

^{2/} The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.

CIGARETTE-LEAF STOCKS

Flue-cured Stocks Lower than Last July 1;
Burley and Maryland Holdings Larger

Flue-cured tobacco stocks of 1,484 million pounds as of July 1, 1950 were 54 million pounds lower than a year ago. The lower stocks were brought about largely by a heavier volume of exports as compared with the previous year, although domestic consumption as indicated by the level of stocks also was slightly greater. Around 445 million pounds (farm-sales-weight) of flue-cured were exported during the marketing year, July 1949-June 1950, as against 387 million during the corresponding period a year earlier. Indicated domestic disappearance during the year just ended was 723 million pounds compared with about 715 million the previous marketing year. Total indicated disappearance of 1,168 million pounds has been exceeded only during the 1946-47 marketing year because of the large exports that season to replenish depleted stocks in foreign countries.

Burley stocks owned by dealers and manufacturers on July 1 were 1,152 million pounds, the highest level on record for this quarter and 36 million above July 1, 1949 holdings.

Stocks of Maryland tobacco were 52.9 million pounds this July 1 compared with 51.2 million a year ago. The southern Maryland auction markets began sales during the second quarter, and around 26.9 million pounds were marketed prior to July 1 from the 1949 crop estimated at 41.0 million pounds.

Stocks of Foreign-grown cigarette and smoking tobacco (Turkish and other) as of July 1, 1950 totaled 148.1 million pounds or approximately the same amount as was on hand a year earlier.

DARK TOBACCO STOCKS

Fire-cured and Dark Air-cured Stocks Larger

Fire-cured stocks on hand on July 1, 1950 totaled 180.0 million pounds, about 2.5 million above the previous July 1 inventory for this class. Of the total fire-cured stocks reported, 26.1 million pounds were of the Virginia type; 104.6 million of the Eastern District; 49.0 million of the Western District; and 0.3 million of the Henderson Stemming. Holdings of each type were slightly larger than on July 1, 1949.

Stocks of Dark air-cured tobacco had climbed 5.7 million pounds from a year ago. The increase was about equally divided between Type 35 and Type 36, while stocks of Type 37 changed only slightly. Holdings of these types totaled 87.6 million pounds on July 1, 1950. Stocks of One Sucker amounted to 47.0 million pounds, Green River 36.8 million, and Virginia sun-cured 3.8 million.

CIGAR-LEAF STOCKS

Stocks of All Classes of Domestic Cigar Leaf Larger;
Inventory of Cuban Leaf Down Sharply from a Year Ago

Stocks of all types of domestic cigar-leaf including Puerto Rican in the hands of dealers and manufacturers on July 1, 1950 totaled 383.9 million pounds (farm-sales-weight) -- an increase of 16.4 million compared with July 1, 1949. Holdings of each class, filler, binder, and wrapper, were larger than a year ago. Inventories of foreign-grown cigar-leaf this July 1, totaled 17.6 million pounds compared with 22.9 million the previous July 1.

Total holdings of the cigar-filler types on July 1, 1950 of 217.8 million pounds were 6.2 million above the quantity held a year earlier. Increases of 8.5 million pounds for Type 41 and 1.9 million for Types 42-44 considerably more than compensated a decrease of 4.1 million pounds in Type 46 stocks. Stocks of cigar-filler leaf by types on July 1, 1950 were, 129.0 million pounds of Pennsylvania Seedleaf, 30.1 million of the Ohio filler types, and 58.8 million of Puerto Rican filler, of which 32.3 million pounds were on the Island. Most of the 1949-50 crop of Puerto Rican tobacco, estimated between 26 and 28 million pounds, was in stocks prior to July 1.

Binder type stocks this July 1 were 146.6 million pounds compared with 139.3 million a year ago. Compared with the previous July 1, holdings of types 52 and 55 were considerably larger, type 51 stocks were approximately the same, while the quantity of type 54 on hand was reduced slightly. The holdings by types were divided as follows: Connecticut Valley Broadleaf, 30.7 million pounds; Connecticut Valley Havana Seed, 27.2 million; New York and Pennsylvania Havana Seed, 1.6 million; Southern Wisconsin, 40.9 million; Northern Wisconsin, 46.1 million; and Georgia and Florida binder, 0.1 million.

Shade-grown cigar-wrapper leaf holdings were 19.4 million pounds on July 1, an increase of 2.8 million pounds above a year ago. The carryover of Shade tobacco this July 1 was the largest on record. Stocks of Connecticut Valley Shade this July 1 were 13.6 million pounds and Georgia and Florida Shade 5.9 million pounds. As indicated by stocks, disappearance during the past marketing year, July 1949-June 1950, totaled 14.3 million pounds compared with 13.0 million during the preceding year. The total indicated disappearance consisted of 9.7 million pounds of Connecticut Valley Shade, and 4.6 million of Georgia and Florida shade.

Foreign-grown cigar-leaf stocks in the United States on July 1, 1950 were 17.6 million pounds, of which 16.6 million pounds were Cuban (Havana), 0.8 million of Sumatra and Java, 0.2 million of Philippine Islands (Manila) and less than 0.1 million of other foreign-grown cigar-leaf. Cuban stocks were down 5.3 million pounds from the previous July 1 level.

Table 1.--Average percentage of weight remaining after handling, e-venting, drying, and stemming for all types of tobacco, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales weight equivalent 1/

SOUTHERN TYPES (11-37)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by			
		Packed in domestic order				Yield from:				to convert reported stocks			
		To the end of:				actual				Stemmed: Unstemmed stocks			
		One year	Two years	Three years	Packed	Weight	Weight	Weight	Yield from	Stocks to	Unstemmed	Stocks to	Unstemmed
		in storage	in storage	in storage	weight	export	time of	operation	weight	unstemmed	weight equiv-	weight equiv-	weight equiv-
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	equivalent	equivalent	equivalent	equivalent
Flue-cured	11-14	90.0	89.1	88.7	88.7	88.0	78.0	69.0	1.282	1.282	1.12	1.12	1.12
Virginia fire-cured	21	85.0	84.2	83.4	83.0	83.0	77.0	64.0	1.299	1.299	1.18	1.18	1.18
Tenn. & Ky. fire-cured	22-23	98.5	94.6	92.7	91.8	95.0	76.0	69.5	1.316	1.316	1.04	1.04	1.04
Henderson Stemming	24	90.0	87.3	86.0	85.1	86.0	76.0	64.5	1.316	1.316	1.125	1.125	1.125
Burley	31	90.0	88.2	87.3	86.4	89.0	74.0	64.0	1.351	1.351	1.12	1.12	1.12
Southern Maryland	32	100.0	96.0	94.1	93.2	100.0	74.0	69.0	1.351	1.351	1.02	1.02	1.02
One Sucker	35	92.0	90.2	88.8	87.9	90.0	70.0	61.5	1.429	1.429	1.09	1.09	1.09
Green River	36	90.0	87.3	86.0	85.1	86.0	76.0	64.5	1.316	1.316	1.13	1.13	1.13
Virginia sun-cured	37	89.0	88.1	87.2	86.8	85.0	76.0	66.0	1.316	1.316	1.13	1.13	1.13

CIGAR LEAF TYPES (41-62)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by			
		To the end of:				Yield from:				to convert reported stocks			
		One year	Two years	Three years	Packed	Weight	Weight	Weight	Yield from	Stocks to	Unstemmed	Stocks to	Unstemmed
		in storage	in storage	in storage	weight	export	time of	operation	weight	unstemmed	weight equiv-	weight equiv-	weight equiv-
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	equivalent	equivalent	equivalent	equivalent
Pennsylvania Seedleaf	41	97.3	86.0	84.0	82.0	80.6	72.0	58.0	1.387	1.387	1.17	1.17	1.17
Gebhardt	42	(3)	85.6	83.3	80.9	79.3	73.0	58.0	(4)	(4)	(4)	(4)	(4)
Zimmer	43	(3)	85.4	83.0	80.8	78.9	71.5	56.5	(1.387)	(1.387)	(4)	(4)	(4)
Dutch	44	(3)	86.5	84.1	81.7	80.0	70.5	56.5	(4)	(4)	(4)	(4)	(4)
Puerto Rico	46	88.0	87.1	85.6	82.0	81.1	78.5	64.5	1.275	1.275	1.17	1.17	1.17
Connecticut Broadleaf	51	97.0	87.4	85.4	83.1	81.1	77.5	62.5	1.292	1.292	(4)	(4)	(4)
Connecticut Havana Seed	52	97.0	87.4	85.0	83.1	81.2	77.0	62.5	1.299	1.299	(4)	(4)	(4)
N. Y. & Pa. Havana Seed	53	91.0	84.6	82.9	80.9	79.7	73.5	58.5	1.364	1.364	(4)	(4)	(4)
Southern Wisconsin	54	96.3	83.1	81.5	79.1	77.9	71.0	59.5	1.300	1.300	(4)	(4)	(4)
Northern Wisconsin	55	93.7	83.8	82.4	80.6	79.2	75.0	59.0	1.333	1.333	(4)	(4)	(4)
Ga. & Fla. binder	56	82.5	80.8	78.8	77.2	75.7	78.5	59.0	1.275	1.275	(4)	(4)	(4)
Connecticut Shade	61	91.1	88.7	86.3	84.4	83.0	81.5	67.5	1.224	1.224	(4)	(4)	(4)
Ga. & Fla. Shade	62	89.1	87.3	84.5	82.3	80.6	83.0	67.0	1.205	1.205	(4)	(4)	(4)

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

Type	No.	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Miscellaneous Domestic	72-73	--	--	--	--	--	--	--	--	--	--	5 1.333	5 1.09
Foreign-grown cigar leaf	81-84	--	--	--	--	--	--	--	--	--	--	5 1.205	(6)
Foreign-grown cigarette and smoking tobacco	90	--	--	--	--	--	--	--	--	--	--	5 1.205	(6)

1 Information in this table taken from U. S. Department of Agriculture Circular 435. Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. 2 Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, e-venting and storage. 3 Ohio-Miam Valley filler types of tobacco packed in cases by growers before delivery. 4 See footnote 1 on page 5 for conversion factor to the farm-sales weight equivalent. 5 Tentative factor. 6 Factor has not been determined.

Table 2.-Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, July 1, 1950, compared with other quarters 1/

FARM-SALES WEIGHT

Type name	U.S. type number	July 1, 1950	July 1, 1949	July 1, 1948	April 1, 1950	January 1, 1950	October 1, 1949
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue cured	11-14	1,484,476	1,538,211	1,550,213	1,754,028	1,992,703	1,940,936
Virginia fire-cured	21	26,060	25,247	25,886	28,924	22,985	21,779
Tennessee and Kentucky fire-cured (Eastern District)	22	104,573	103,553	108,426	115,430*	83,394	91,438
Kentucky and Tennessee fire-cured (Western District)	23	49,033	48,430	45,891	53,879	41,213	43,671
Henderson Stemming	24	345	305	313	362	312	296
Total Fire-cured	21-24	180,011	177,535	180,516	198,595*	147,904	157,184
Burley	31	1,151,698	1,115,724	1,046,330	1,283,393*	1,139,960	974,324
Low-nicotine	31-V	777	451	214	788	429	436
Southern Maryland	32	52,944	51,236	47,300	38,092	45,547	53,996
Total Light Air-cured	31-32	1,205,419	1,167,411	1,093,844	1,322,273*	1,185,936	1,028,756
One Sucker	35	46,931	44,114	46,223	50,380*	37,912	38,821
Green River	36	36,831	33,807	34,502	39,240	33,556	32,123
Virginia sun-cured	37	3,826	3,943	3,932	4,494	3,328	3,184
Total Dark Air-cured	35-37	87,588	81,864	84,657	94,114*	74,796	74,128
Pennsylvania Seedleaf	41	128,982	120,530	119,982	140,565*	99,467	105,972
Ohio Filler (Miami Valley)	42-44	30,069	28,201	26,018	31,191	23,539	25,895
Puerto Rican:							
In United States	46	26,467	28,006	38,329	29,358*	29,461	25,707
In Puerto Rico	46	32,309	34,874	37,641	23,053*	14,892	27,458
Total Cigar-Filler	41-46	217,827	211,611	221,970	224,167*	167,359	185,032
Connecticut Valley Broadleaf	51	30,741	30,822	33,624	32,415*	26,601	26,546
Connecticut Valley Havana Seed	52	27,167	22,956	21,684	28,106	23,986	19,820
New York and Pa. Havana Seed	53	1,581	2,070	3,160	1,933	1,482	1,707
Southern Wisconsin	54	40,927	42,937	42,158	45,494	36,019	39,813
Northern Wisconsin	55	46,127	40,363	41,074	47,691	34,551	35,205
Georgia and Florida Binder	56	90	143	212	125*	180	257
Total Cigar-Binder	51-56	146,633	139,291	141,912	155,764*	122,819	123,348
Connecticut shade	61	13,571	12,093	10,708	15,607*	17,874	13,330
Georgia and Florida shade	62	5,869	4,501	3,823	6,862*	8,211	8,586
Total Cigar-Wrapper	61-62	19,440	16,594	14,531	22,469*	26,085	21,916
Perique	72	825	903	712	916	786	783
Other Miscellaneous Domestic 2/	73	1,247	3,838	1,357	1,272	1,439	3,715
Total Miscellaneous Domestic	72-73	2,072	4,741	2,069	2,188	2,225	4,498
Cuba (Havana) 3/	81	16,607	21,911	26,540	18,399*	18,853	19,583
Sumatra and Java 3/ 4/	82	762	500	612	265	350	451
Philippine Islands (Manila) 3/	83	192	369	458	179	34	172
Other foreign-grown cigar leaf 3/	84	38	84	102	38	43	68
Total Foreign-grown Cigar-leaf 3/	81-84	17,599	22,864	27,712	18,881*	19,280	20,272
Foreign-grown cigarette & smoking tobacco (Turkish & other) 3/	90	148,070	148,891	126,728	151,802	141,127	134,232
Total all types	11-90	3,509,135	3,509,013	3,444,152	3,944,281*	3,880,234	3,690,302

1/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales-weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for July 1, 1950 are as follows: Type 41, 107; Types 42-44, 114; Type 51, 107; Type 52, 106; Type 53, 110; Type 54, 106; Type 55, 106; Type 56, 123; Type 61, 111; Type 62, 114. July 1, 1950 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 6 on page 14.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in April 1 report.

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1945-50 1/

FLUE-CURED, TYPES 11-14

Marketing year beginning July 1	Production	Carry-over (stocks July 1)	Total supply	Disappearance (supply less carry-over following year)	Average price to growers
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	Cents
1945	1,173,459	1,126,283	2,299,742	1,152,384	43.6
1946	1,352,024	1,147,358	2,499,382	1,212,542	48.3
1947	1,317,466	1,286,840	2,604,306	1,054,093	41.2
1948	1,089,584	1,550,213	2,639,797	1,111,586	49.6
1949	1,114,508	1,538,211	2,652,719	<u>2/</u> 1,168,243	47.2
1950	<u>3/</u> 1,150,410	<u>2/</u> 1,484,476	<u>2/</u> 2,634,886		

CONNECTICUT SHADE, TYPE 61

1945	7,572	10,150	17,722	7,600	220.0
1946	8,824	10,122	18,946	8,818	240.0
1947	9,262	10,128	19,390	8,682	310.0
1948	9,798	10,708	20,506	8,413	290.0
1949	11,136	12,093	23,229	<u>2/</u> 9,658	250.0
1950	<u>3/</u> 8,085	<u>2/</u> 13,571	<u>2/</u> 21,656		

GEORGIA AND FLORIDA SHADE, TYPE 62

1945	3,642	4,538	8,180	4,679	150.0
1946	3,677	3,501	7,178	3,933	220.0
1947	4,228	3,245	7,473	3,650	265.0
1948	5,265	3,823	9,088	4,587	245.0
1949	5,968	4,501	10,469	<u>2/</u> 4,600	210.0
1950	<u>3/</u> 5,847	<u>2/</u> 5,869	<u>2/</u> 11,716		

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ Subject to revision.

3/ July 1 estimate, U. S. Crop Reporting Board.

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1950, compared with April 1, 1950
(REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

Group	July 1, 1950 1/			April 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	2,768	15	2,783	2,886	12	2,898
B	84,844	15,403	100,247	105,452	17,427	122,879
C	85,902	32,663	118,565	101,996	36,935	138,931
X	143,100	91,824	234,924	169,403	100,562	269,965
S	4,929	7,001	11,930	5,658	7,673	13,331
N	4,491	1,523	6,014	9,178	1,592	10,770
Total	326,034	148,429	474,463	394,573	164,201	558,774

Type 12, Eastern North Carolina flue-cured

A	1,016	-	1,016	1,256	-	1,256
B	34,504	18,840	53,344	50,768	22,427	73,195
C	49,438	32,230	81,668	62,510	36,953	99,463
X	122,148	78,409	200,557	143,432	86,272	229,704
S	2,669	4,103	6,772	3,955	2,690	6,645
N	3,980	1,183	5,163	6,315	1,045	7,360
Total	213,755	134,765	348,520	268,236	149,387	417,623

Type 13, South Carolina flue-cured (including southeastern North Carolina)

A	959	-	959	1,447	9	1,456
B	20,495	7,056	27,551	29,628	8,978	38,606
C	44,700	23,021	67,721	55,044	25,864	80,908
X	90,712	49,712	140,424	105,928	56,115	162,043
S	1,163	1,432	2,595	1,461	1,361	2,822
N	2,316	305	2,621	4,436	375	4,811
Total	160,345	81,526	241,871	197,944	92,702	290,646

Type 14, Georgia and Florida flue-cured

B	6,291	8,262	14,553	9,880	10,977	20,857
C	810	41,940	42,750	1,014	48,724	49,738
X	5,311	60,900	66,211	11,930	63,898	75,828
S	411	1,244	1,655	333	1,158	1,491
N	263	473	736	667	559	1,226
Total	13,086	112,819	125,905	23,824	125,316	149,140

Types 11-14, Total flue-cured

A	4,743	15	4,758	5,589	21	5,610
B	146,134	49,561	195,695	195,728	59,809	255,537
C	180,850	129,854	310,704	220,564	148,476	369,040
X	361,271	280,845	642,116	430,693	306,847	737,540
S	9,172	13,780	22,952	11,407	12,882	24,289
N	11,050	3,484	14,534	20,596	3,571	24,167
Total	713,220	477,539	1,190,759	884,577	531,606	1,416,183

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1950, compared with April 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 21, Virginia fire-cured

Group	July 1, 1950 1/			April 1, 1950		
	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	394	-	394	561	-	561
B	10,564	15	10,579	11,712	20	11,732
C	3,835	4	3,839	3,954	-	3,954
X	6,891	163	7,054	7,800	182	7,982
S	146	3	149	173	-	173
N	15	-	15	41	7	48
Total	21,845	185	22,030	24,241	209	24,450

Type 22, Tennessee and Kentucky fire-cured (Eastern District)

A	4,504	101	4,605	6,524*	82	6,606*
B	57,626	304	57,930	61,614	334*	61,948*
C	7,984	59	8,043	10,361	62	10,423
X	28,680	1	28,681	30,431	27	30,458
S	636	4	640	509	4*	513*
N	504	-	504	881	-	881
Total	99,934	469	100,403	110,320*	509*	110,829*

Type 23, Kentucky and Tennessee fire-cured (Western District)

A	223	-	223	234	-	234
B	23,147	19	23,166	25,111	15	25,126
C	7,074	29	7,103	8,970	37	9,007
X	14,792	17	14,809	15,780	17	15,797
S	509	1	510	331	-	331
N	1,315	-	1,315	1,290	-	1,290
Total	47,060	66	47,126	51,716	69	51,785

Type 24, Henderson Stemming

A	2	-	2	2	-	2
B	104	-	104	105	-	105
C	40	-	40	45	-	45
X	130	-	130	134	-	134
S	-	-	-	-	4	4
N	31	-	31	31	-	31
Total	307	-	307	317	4	321

Types 21-24, Total fire-cured

A	5,123	101	5,224	7,321*	82	7,403*
B	91,441	338	91,779	98,542	369*	98,911*
C	18,933	92	19,025	23,330	99	23,429
X	50,493	181	50,674	54,145	226	54,371
S	1,291	8	1,299	1,013	8*	1,021*
N	1,865	-	1,865	2,243	7	2,250
Total	169,146	720	169,866	186,594*	791*	187,385*

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1950, compared with April 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 31, Burley 2/

Group	July 1, 1950 1/			April 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,793	-	1,793	1,999	-	1,999
B (Bright)	93,583	36,722	130,305	101,317	42,205	143,522
B (Red)	73,560	13,518	87,078	74,904	15,802*	90,706*
T (Bright)	39,003	8,677	47,680	47,361	9,834	57,195
T (Red)	63,722	10,295	74,017	75,631	7,082	82,713
C	269,810	123,723	393,533	316,279	132,569	448,848
X	143,786	47,068	190,854	162,617	48,837	211,454
S	5,047	7,315	12,362	6,409	8,140	14,549
N	2,046	1,351	3,397	1,970	76	2,046
Total	692,350	248,669	941,019	788,487	264,545*	1,053,032*

Type 31-V, Low-Nicotine

Total	339	263	602	341	269	610
-------	-----	-----	-----	-----	-----	-----

Type 32, Southern Maryland

B	9,925	5	9,930	6,500	4	6,504
C	19,383	10,492	29,875	9,085	11,327	20,412
X	4,273	281	4,554	3,427	75	3,502
S	329	519	848	305	449	754
N	2,715	14	2,729	1,994	13	2,007
Total	36,625	11,311	47,936	21,311	11,868	33,179

Type 35, One Sucker

A	1,909	-	1,909	2,035	-	2,035
B	16,809	1	16,810	18,167	7	18,174
C	7,459	-	7,459	8,898	-	8,898
X	13,749	569	14,318	14,658*	464	15,122*
S	403	3	406	423*	151	574*
N	1,221	481	1,702	880	194	1,074
Total	41,550	1,054	42,604	45,061*	816	45,877*

Type 36, Green River

A	290	15	305	211	8	219
B	16,199	219	16,418	17,173	241	17,414
C	2,795	2	2,797	3,051	3	3,054
X	11,289	693	11,983	12,018	687	12,705
S	45	39	84	66	14	80
N	434	204	638	684	204	888
Total	31,052	1,172	32,224	33,203	1,157	34,360

Type 37, Virginia sun-cured

A	113	-	113	138	-	138
B	995	64	1,059	1,094	64	1,158
C	541	-	541	693	-	693
X	1,213	276	1,489	1,479	305	1,784
S	75	1	76	86	1	87
N	-	-	-	-	-	-
Total	2,937	341	3,278	3,490	370	3,860

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1950, compared with April 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

Group	July 1, 1950 1/			April 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	2,312	15	2,327	2,384	8	2,392
B	34,003	284	34,287	36,434	312	36,746
C	10,795	2	10,797	12,642	3	12,645
X	26,251	1,538	27,789	28,155*	1,456	29,611*
S	523	43	566	575*	166	741*
N	1,655	685	2,340	1,564	398	1,962
Total	75,539	2,567	78,106	81,754*	2,343	84,097*

Type 41, Pennsylvania Seedleaf

B	6,413	21	6,434	25,505*	38*	25,543*
C	92,453	2,488	94,941	75,665*	2,879	78,544*
X	10,495	826	11,321	18,181	830	19,011
Y	4,315	296	4,611	4,487	297	4,784
S	91	1,217	1,308	68	1,285*	1,353*
N	53	-	53	1	51	52
Total	113,820	4,848	118,668	123,907*	5,380*	129,287*

Types 42-44, Ohio Filler (Miami Valley)

C	22,163	93	22,256	23,532	192	23,724
X	1,548	526	2,074	1,691	402	2,093
Y	692	676	1,368	497	639	1,136
S	2	124	126	2	121	123
N	-	2	2	-	2	2
Total	24,405	1,421	25,826	25,722	1,356	27,078

Type 46, Puerto Rican (In Continental United States)

C	32	13,927	13,959	7	15,380	15,387
X	2,511	560	3,071	2,913	682*	3,595*
Y	252	30	282	280	13*	293*
S	28	1,008	1,036	62	1,047*	1,109*
N	-	3	3	-	-	-
Total	2,823	15,528	18,351	3,262	17,122*	20,384*

Type 46, Puerto Rican (In Puerto Rico)

C	8,405	797	9,202	7,076	831	7,907
X	4,655	828	5,483	4,158	479	4,637
Y	9,866	369	10,235	5,229	410	5,639
S	453	247	700	416	249*	665*
N	1,371	2	1,373	314	-	314
Total	24,750	2,243	26,993	17,193	1,969*	19,162*

Type 46, Total Puerto Rican

C	8,437	14,724	23,161	7,083	16,211	23,294
X	7,166	1,388	8,554	7,071	1,161*	8,232*
Y	10,118	399	10,517	5,509	423*	5,932*
S	481	1,255	1,736	478	1,296*	1,774*
N	1,371	5	1,376	314	-	314
Total	27,573	17,771	45,344	20,455	19,091*	39,546*

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1950, compared with April 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 51, Connecticut Valley Broadleaf

Group	July 1, 1950 1/			April 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,399	1	1,400	1,807	3	1,810
B	23,055	94	23,149	24,699*	99	24,798*
C	304	4	308	361	1	362
X	2,840	192	3,032	2,646	155	2,801
S	23	304	327	50	265	315
N	340	-	340	339	2	341
Total	27,961	595	28,556	29,902*	525	30,427*

Type 52, Connecticut Valley Havana Seed

A	1,242	3	1,245	1,128	1	1,129
B	20,013	38	20,051	20,758	56	20,814
C	634	-	634	629	-	629
X	3,189	218	3,407	3,493	172	3,665
S	5	70	75	6	63	69
N	119	-	119	122	-	122
Total	25,202	329	25,531	26,136	292	26,428

Type 53, New York and Pennsylvania Havana Seed

B	562	-	562	981	1	982
X	852	-	852	793	1	794
S	1	4	5	1	9	10
N	-	12	12	-	-	-
Total	1,415	16	1,431	1,775	11	1,786

Type 54, Southern Wisconsin

B	6,845	31	6,876	7,614	17	7,631
C	185	-	185	888	-	888
X	26,721	3,695	30,416	30,278	3,419	33,697
S	1	9	10	3	32	35
N	2	-	2	37	-	37
Total	33,754	3,735	37,489	38,820	3,468	42,288

Type 55, Northern Wisconsin

B	16,667	110	16,777	19,033	107	19,140
C	38	241	279	2,110	295	2,405
X	25,463	490	25,953	23,338	526	23,864
S	6	166	172	4	88	92
N	-	-	-	18	-	18
Total	42,174	1,007	43,181	44,503	1,016	45,519

Type 56, Georgia and Florida binder

B	69	3	72	92*	8	100*
---	----	---	----	-----	---	------

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1950, compared with April 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 61, Connecticut Shade

Group	July 1, 1950 1/			April 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	11,595	6	11,601	13,557*	12	13,569*
B	361	6	367	398*	3	401*
C	70	-	70	205	-	205
S	-	151	151	4	103	107
N	-	-	-	10	-	10
Total	12,026	163	12,189	14,174*	118	14,292*

Type 62, Georgia and Florida Shade

A	5,024	8	5,032	5,860*	9	5,869*
B	57	-	57	64	-	64
C	8	-	8	5	-	5
S	-	39	39	-	55*	55*
N	-	2	2	9	3	12
Total	5,089	49	5,138	5,938*	67*	6,005*

SUMMARY ALL CIGAR TOBACCO 3/

July 1, 1950

Group	Filler	Binder	Wrapper	Foreign	Total
	Types	Types	Types	Types	
	41-46 4/	51-56	61-62	81-84 5/	
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	-	2,645	16,633	1,380	20,658
B	6,434	67,487	424	-	74,345
C	140,358	1,406	78	9,753	151,595
X	21,949	63,660	-	-	85,609
Y	16,496	-	-	-	16,496
S	3,170	589	190	4,234	8,183
N	1,431	473	2	-	1,906
Total	189,838	136,260	17,327	15,367	358,792

April 1, 1950

A	-	2,939	19,438*	914	23,291*
B	25,543*	73,465*	465*	-	99,473*
C	125,562*	4,284	210	11,252*	141,308*
X	29,336*	64,821	-	-	94,157*
Y	11,852*	-	-	-	11,852*
S	3,250*	521	162*	4,295*	8,228*
N	368	518	22	-	908
Total	195,911*	146,548*	20,297*	16,461*	379,217*

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1950, compared with April 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 72, Perique

Group	July 1, 1950 1/				April 1, 1950		
	Unstemmed :	Stemmed :	Total :		Unstemmed :	Stemmed :	Total
	1,000 lb.	1,000 lb.	1,000 lb.		1,000 lb.	1,000 lb.	1,000 lb.
Total	-	568	568	:	-	630	630

Type 73, Other miscellaneous domestic 6/

Total	310	626	936	:	506	496	1,002
-------	-----	-----	-----	---	-----	-----	-------

Types 72-73, Total miscellaneous domestic

Total	310	1,194	1,504	:	506	1,126	1,632
-------	-----	-------	-------	---	-----	-------	-------

Type 81, Cuba (Havana)

A	604	16	620	:	650	2	652
C	1,502	8,030	9,532	:	2,147	8,893*	11,040*
S	1,434	2,798	4,232	:	1,414	2,879*	4,293*
Total	3,540	10,844	14,384	:	4,211	11,774*	15,985*

Type 82, Sumatra and Java 7/

A	760	-	760	:	262	-	262
C	-	-	-	:	1	-	1
S	-	2	2	:	-	2	2
Total	760	2	762	:	263	2	265

Type 83, Philippine Islands (Manila)

C	153	32	185	:	148	26	174
---	-----	----	-----	---	-----	----	-----

Type 84.-Other foreign-grown cigar-leaf

Total	25	11	36	:	31	6	37
-------	----	----	----	---	----	---	----

Type 90.-Foreign-grown cigarette and smoking tobacco (Turkish and other)

Total	148,070	-	148,070	:	151,802	-	151,802
-------	---------	---	---------	---	---------	---	---------

Types 11-90, Total all types

Total	2,153,565	783,089	2,936,654	:	2,451,449*	855,688*	3,307,137*
-------	-----------	---------	-----------	---	------------	----------	------------

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, July 1, 1950, compared with April 1, 1950 - Cont'd.
(REPORTED WEIGHT)

- 1/ Subject to revision.
 - 2/ The group breakdown for Burley tobacco is in accordance with changes in the section for reporting Burley stocks made in the reporting form beginning July 1, 1950. The April 1 figures shown in this table are on a comparable basis.
 - 3/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.
 - 4/ Includes Puerto Rican on the Island, Type 46.
 - 5/ Type 84.--Other foreign-grown all shown in the C group.
 - 6/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
 - 7/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.
- * Revisions in April 1 report.

Table 5.--Stocks of leaf tobacco by types, showing separately quantities owned by dealers and manufacturers, July 1, 1950, compared with July 1, 1949 1/

REPORTED WEIGHT

U.S. type number	Reported as owned by manufacturers 2/				Reported as owned by dealers 2/				Combined totals July 1, 1950
	July 1, 1950			July 1, 1949	July 1, 1950			July 1, 1949	
	Unstemmed	Stemmed	Total		Unstemmed	Stemmed	Total		
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11	251,667	145,689	397,356	407,208	74,367	2,740	77,107	114,296	474,463
12	180,658	128,685	309,343	317,890	33,097	6,080	39,177	50,832	348,520
13	138,242	79,805	218,047	221,110	22,103	1,721	23,824	29,953	241,871
14	2,579	109,315	111,894	109,506	10,507	3,504	14,011	10,651	125,905
11-14	573,146	463,494	1,036,640	1,055,714	140,074	14,045	154,119	205,732	1,190,759
21	12,852	173	13,025	12,948	8,993	12	9,005	8,384	22,030
22	52,608	266	52,874	56,094	47,326	203	47,529	43,328	100,403
23	10,945	46	10,991	13,847	36,115	20	36,135	32,686	47,126
24	-	-	-	-	307	-	307	271	307
21-24	76,405	485	76,890	82,889	92,741	235	92,976	84,669	169,866
31	510,704	240,815	751,519	753,325	181,646	7,854	189,500	172,605	941,019
31-V	339	263	602	309	-	-	-	-	602
32	22,555	11,279	33,834	33,266	14,070	32	14,102	12,773	47,936
31-32	533,598	252,357	785,955	786,900	195,716	7,886	203,602	185,378	989,557
35	19,588	719	20,307	19,432	21,962	335	22,297	20,822	42,604
36	17,617	1,120	18,737	17,578	13,435	52	13,487	12,102	32,224
37	2,488	341	2,829	2,905	449	-	449	484	3,278
35-37	39,693	2,180	41,873	39,915	35,846	387	36,233	33,408	78,106
41	103,192	4,526	107,718	84,663	10,628	322	10,950	24,808	118,668
42-44	22,201	1,384	23,585	22,765	2,204	37	2,241	1,681	25,826
46 3/	3,831	15,161	18,992	18,461	23,742	2,610	26,352	29,572	45,344
41-46	129,224	21,071	150,295	125,889	36,574	2,969	39,543	56,061	189,838
51	21,483	575	22,058	21,698	6,478	20	6,498	7,150	28,556
52	18,173	296	18,469	15,706	7,029	33	7,062	5,847	25,531
53	1,358	16	1,374	1,759	57	-	57	67	1,431
54	29,063	3,681	32,744	36,739	4,691	54	4,745	3,068	37,489
55	35,210	889	36,099	31,186	6,964	118	7,082	6,582	43,181
56	69	3	72	95	-	-	-	18	72
51-56	105,356	5,460	110,816	107,183	25,219	225	25,444	22,732	136,260
61	8,464	161	8,625	8,321	3,562	2	3,564	2,542	12,189
62	2,986	19	3,005	2,375	2,103	30	2,133	1,562	5,138
61-62	11,450	180	11,630	10,696	5,665	32	5,697	4,104	17,327
72	-	344	344	351	-	224	224	270	568
73 4/	124	615	739	3,131	186	11	197	223	936
72-73	124	959	1,083	3,482	186	235	421	493	1,504
81	3,394	10,372	13,766	18,035	146	472	618	962	14,384
82 5/	665	2	667	349	95	-	95	151	762
83	153	9	162	325	-	23	23	21	185
84	7	2	9	22	18	9	27	62	36
81-84	4,219	10,385	14,604	18,731	259	504	763	1,196	15,367
90	143,999	-	143,999	142,411	4,071	-	4,071	6,480	148,070
11-90	1,617,214	756,571	2,373,785	2,373,810	536,351	26,518	562,869	600,253	2,936,654

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congresses. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

2/ The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

3/ Includes stocks on the Island of Puerto Rico.

4/ For explanation of stocks included in this classification see footnote 6 on page 14.

5/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

Table 6.-Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, July 1, 1950 compared with other quarters ^{1/}

REPORTED WEIGHT

Type name	U.S. type number	July 1, 1950 ^{2/}			April 1, 1950	July 1, 1949	April 1, 1949
		Unstemmed	Stemmed	Total			
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured	11	326,034	148,429	474,463	558,774	521,504	586,633
Eastern North Carolina flue-cured	12	213,755	134,765	348,520	417,623	368,722	440,812
South Carolina flue-cured (including Southeastern N.C.)	13	160,345	81,526	241,871	290,646	251,063	297,734
Georgia and Florida flue-cured	14	13,086	112,819	125,905	149,140	120,157	135,497
Total Flue-cured	11-14	713,220	477,539	1,190,759	1,416,183	1,261,446	1,460,676
Virginia fire-cured	21	21,845	185	22,030	24,450	21,332	23,803
Tennessee and Kentucky fire-cured (Eastern District)	22	99,934	469	100,403	110,829*	99,422	114,822
Kentucky and Tennessee fire-cured (Western District)	23	47,060	66	47,126	51,785	46,533	51,616
Henderson Stemming	24	307	-	307	321	271	298
Total Fire-cured	21-24	169,146	720	169,866	187,385*	167,558	190,539
Burley	31	692,350	248,669	941,019	1,053,032*	925,930	1,040,516
Low-nicotine	31-V	339	263	602	610	309	332
Southern Maryland	32	36,625	11,311	47,936	33,179	46,039	33,253
Total Light Air-cured	31-32	729,314	260,243	989,557	1,086,821*	972,278	1,074,101
One Sucker	35	41,550	1,054	42,604	45,877*	40,254	46,802
Green River	36	31,052	1,172	32,224	34,360	29,680	33,526
Virginia sun-cured	37	2,937	341	3,278	3,860	3,389	3,768
Total Dark Air-cured	35-37	75,539	2,567	78,106	84,097*	73,323	84,096
Pennsylvania Seedleaf	41	113,820	4,848	118,668	129,287*	109,471	77,832
Ohio Filler (Miami Valley)	42-44	24,405	1,421	25,826	27,078	24,446	27,600
Puerto Rican:							
In United States	46	2,823	15,528	18,351	20,384*	18,950	22,626
In Puerto Rico	46	24,750	2,243	26,993	19,162*	29,083	18,749
Total Cigar-Filler	41-46	165,798	24,040	189,838	195,911*	181,950	146,807
Connecticut Valley Broadleaf	51	27,961	595	28,556	30,427*	28,848	31,555
Connecticut Valley Havana Seed	52	25,202	329	25,531	26,428	21,553	24,709
New York and Pa. Havana Seed	53	1,415	16	1,431	1,786	1,826	1,879
Southern Wisconsin	54	33,754	3,735	37,489	42,288	39,807	42,669
Northern Wisconsin	55	42,174	1,007	43,181	45,519	37,768	39,781
Georgia and Florida Binder	56	69	3	72	100*	113	128
Total Cigar-Binder	51-56	130,575	5,685	136,260	146,548*	129,915	140,721
Connecticut shade	61	12,026	163	12,189	14,292*	10,863	12,701
Georgia and Florida shade	62	5,089	49	5,138	6,005*	3,937	5,386
Total Cigar-Wrapper	61-62	17,115	212	17,327	20,297*	14,800	18,087
Perique	72	-	568	568	630	621	673
Other Miscellaneous Domestic ^{3/}	73	310	626	936	1,002	3,354	730
Total Miscellaneous Domestic	72-73	310	1,194	1,504	1,632	3,975	1,403
Cuba (Havana)	81	3,540	10,844	14,384	15,985*	18,997	19,033
Sumatra and Java ^{4/}	82	760	2	762	265	500	323
Philippine Islands (Manila)	83	153	32	185	174	346	111
Other foreign-grown cigar-leaf	84	25	11	36	37	84	84
Total Foreign-grown Cigar-leaf	81-84	4,478	10,889	15,367	16,461*	19,927	19,551
Foreign-grown cigarette and smoking tobacco (Turkish and other)	90	148,070	-	148,070	151,802	148,891	134,021
Total all types	11-90	2,153,565	783,089	2,936,654	3,307,137*	2,974,063	3,270,002

^{1/} These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1949, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

^{2/} Subject to revision.

^{3/} For explanation of stocks included in this classification see footnote 6 on page 14.

^{4/} Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in April 1 report.

